

DCS FUNCTIONS

01

TO PERFORM AS SCADA GATEWAY OR SUB-MASTER TO COMMUNICATE WITH MULTIPLE OF MASTER AND SLAVE DEVICES

02


TO COLLECT INFORMATION FROM ON-SITE DEVICES (DPM/DATA LOGGER)

03

TO TRANSMIT DATA FROM PLANT TO TNB MASTER SYSTEM FOR MONITORING.

SYSTEM OVERVIEW

DATA COLLECTION SYSTEM



BENEFITS



SAFE & SECURE



CERTIFIED & TRUSTED



RELIABLE



REDUCE PHYSICAL AND HARDWARE INSTALLATION



CHEAPER ALTERNATIVE

(DCS) PLATFORM
DATA COLLECTION SYSTEM

SUBSCRIPTION FEES (MPIA MEMBER)

CAPACITY (MWAC)	1ST YEAR (RM)	SUBSEQUENT YEARS (RM)
1 TO 1.5	15,000	3,500
1.5 < TO 2	17,000	4,000
2 < TO 2.5	20,000	4,500
2.5 < TO 3	23,000	5,000
3 < TO 3.5	25,000	5,500
3.5 < TO 4	27,000	6,000
4 < TO 4.5	27,500	6,500
4.5 < TO 5	28,000	6,500
5 < TO 5.5	28,500	6,500
5.5 < TO 6	29,000	6,500
6 < TO 6.5	29,500	6,500
6.5 < TO 7	30,000	6,500
7 < TO 7.5	30,500	6,500
7.5 < TO 8	31,000	6,500

PRE-CONDITION FOR PLANTS:

THE PLANT MUST BE INSTALLED WITH DPM(DIGITAL POWER METER), AND THE DPM MUST HAVE EITHER RS485 PORT WITH MODBUS RTU PROTOCOL OR RJ45 ETHERNET PORT WITH MODBUS TCP/IP PROTOCOL.

FOR MORE INFO



CONTACT

GRID VISION
HAFSYAM : +6017-322 9239
WEBSITE : WWW.GRIDVISIONTND.COM

MPIA
JJ NG : +603-6151 7227
WEBSITE : WWW.MPIA.ORG.MY



MPIA
MALAYSIAN PHOTOVOLTAIC INDUSTRY ASSOCIATION